

2009

2009 Chart Book: Disease Management At-A-Glance

Frank L. Caruso

University of Massachusetts Amherst Cranberry Station, fcaruso@umass.edu

Follow this and additional works at: <http://scholarworks.umass.edu/cranchart>



Part of the [Agriculture Commons](#), and the [Plant Sciences Commons](#)

Caruso, Frank L., "2009 Chart Book: Disease Management At-A-Glance" (2009). *Cranberry Chart Book - Management Guide*. 13.
<http://scholarworks.umass.edu/cranchart/13>

This Public Service and Outreach is brought to you for free and open access by the Cranberry Station Outreach and Public Service Activities at ScholarWorks@UMass Amherst. It has been accepted for inclusion in Cranberry Chart Book - Management Guide by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact scholarworks@library.umass.edu.

DISEASE MANAGEMENT 2009 AT A GLANCE

Prepared by Frank L. Caruso

University of Massachusetts Amherst, Cranberry Station, PO Box 569, East Wareham, MA 02538

ALWAYS READ THE LABEL and REFER TO 2009 CHART BOOK

| FUNGICIDE | RATE/A | DISEASE | NOTES |
|---|------------------------------|---------------------------------|---|
| Aliette WDG | 5 lb | Phytophthora root rot | 30 day PHI, maximum 4 uses |
| Ridomil Gold SL | 1-1.75 pt | | 45 day PHI, maximum 3 uses |
| Ridomil Gold GR | 20-35 lb | | Do not apply EC by air. |
| Phostrol | 24 pt | | 3 day PHI, maximum 4 uses |
| Pro Phyt | 5-8 pt | | No PHI, maximum 4 uses |
| Bravo Weather Stik, Chloronil 720, Chlorothalonil 720 SC | 4-6.5 pt | upright dieback | 50 day PHI, maximum 3 uses per season, 12 hr reentry, DO NOT add spreader-sticker or Dipel. |
| Bravo Ultrex | 3.8-6 lb | | |
| Echo 720 | 4-7 pt | | |
| Echo 90 DF | 3.25-5.75 lb | | |
| Champ Formula 2 Flowable | 5.3 pt | | No PHI, 24 hr reentry, 5 uses max |
| Champ Dry Prill | 5.3 lb | | |
| Champion WP, Champ WG | 8 lb | | |
| Bravo Weather Stik, Chloronil 720, Chlorothalonil SC | 4-6.5 pt | fruit rot (start 10–20% bloom) | 50 day PHI, maximum 3 uses per season. Do NOT add spreader-sticker or Dipel |
| Echo 720 | 4-7 pt | | |
| Echo 90DF | 3.25-5.75 lb | | |
| Bravo Ultrex, Equus DF | 3.8-6.0 lb | | |
| Equus 720 SST, Chlorothalonil 720 | 4-6.67 pt | | |
| Equus 500 ZN | 5.7-9.6 pt | | |
| Ferbam Granuflo | 6 lb | | Maximum 5 uses per season, 50 day PHI, 24 hr reentry. |
| Abound F | 6.2-15.4 oz | | Should not use more than 2 times per season. Is very phytotoxic to McIntosh apples. |
| Indar 75 WSP | 4 oz | | Should not use more than 2 times per season. 30 day PHI. |
| Indar 2F | 6-12 oz | | |
| Top Cop | 2 qt | fruit rot (starting mid-bloom) | Max. 3 uses per season, no PHI |
| Dithane M-45 or DF Rainshield | 3-6 lb | | 30 day PHI, 24 hr reentry, spray adjuvants may be added |
| Penncozeb 75DF or 80WP | | | |
| Manzate Pro-Stick | | | |
| Manex, Dithane F-45 Rainshield | 2.4-4.8 qt | | 30 day PHI, 24 hr reentry, spray adjuvants may be added |
| Manzate Flowable, Penncozeb 4 FL | | | |
| ManKocide | 10.5 lb | | |
| Cuprofix MZ Disperss | 7.5-14 lb | | 30 day PHI, 24 hr reentry |
| 3 lb copper flowable | 10.67 pt | fruit rot (starting late bloom) | Maximum 3 uses per season (except 5 for Champ), no PHI, 24 hr reentry |
| Champ Formula 2 Flowable | 5.33 pt | | |
| Kocide 4.5 LF | 5.33 pt | | |
| Champ Dry Prill | 5.6 lb | | |
| Kocide 101, Kocide DF, Champ WG | 8 lb | | |
| Nu-Cop 50DF, Champion WP, Nu-Cop 50 WP | 8 lb | | |
| Kocide 2000 | 6 lb | | Note: Kocide 4.5 is highly corrosive to all aluminum irrigation equipment. |
| Nu-Cop HB | 4 lb | | |
| Nu-Cop 3L | 5.33-10.67 pt | | |
| Kocide 3000 | 3.5 lb | | |
| Ferbam Granuflo | 9 lb/100 gal | fairly ring | Apply 1 gal/sq ft in June-July, one application, 24 hr reentry. |
| Sul-Po-Mag or K-Mag 0-0-22 | 4000 lb/A or 1.5 oz/sq ft | | Mid-August through October |
| Abound F | 15.4 oz | | First app at bud break, followed 2-4 weeks later, if necessary |
| Indar 75 WSP | 4 oz | | First app at bud break, followed 2-4 weeks later, if necessary |
| Indar 2F | 12 oz | | |