

2010

2010 Chart Book: Disease Management At-A-Glance

Frank L. Caruso

University of Massachusetts Amherst Cranberry Station, fcaruso@umass.edu

Follow this and additional works at: <http://scholarworks.umass.edu/cranchart>



Part of the [Agriculture Commons](#), and the [Plant Sciences Commons](#)

Caruso, Frank L., "2010 Chart Book: Disease Management At-A-Glance" (2010). *Cranberry Chart Book - Management Guide*. 24.
<http://scholarworks.umass.edu/cranchart/24>

This Public Service and Outreach is brought to you for free and open access by the Cranberry Station Outreach and Public Service Activities at ScholarWorks@UMass Amherst. It has been accepted for inclusion in Cranberry Chart Book - Management Guide by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact scholarworks@library.umass.edu.

DISEASE MANAGEMENT 2010 AT A GLANCE

Prepared by Frank L. Caruso

University of Massachusetts Amherst, Cranberry Station, PO Box 569, East Wareham, MA 02538

ALWAYS READ THE LABEL and REFER TO 2010 CHART BOOK

FUNGICIDE	RATE/A	DISEASE	NOTES
Aliette WDG	5 lb	Phytophthora root rot	30 day PHI, maximum 4 uses
Ridomil Gold SL	1-1.75 pt		45 day PHI, maximum 3 uses
Ridomil Gold GR	20-35 lb		Do not apply EC by air.
Phostrol	24 pt		3 day PHI, maximum 4 uses
Pro Phyt	4 pt		No PHI, maximum 3 uses
Bravo Weather Stik, Chloronil 720, Chlorothalonil 720 SC, Equus 720 SST	4-6.5 pt	upright dieback	50 day PHI, maximum 3 uses per season, 12 hr reentry, DO NOT add spreader-sticker or Dipel.
Bravo Ultrex, Equus DF	3.8-6 lb		
Echo 720	4-7 pt		
Echo 90 DF	3.25-5.75 lb		
Champ Formula 2 Flowable	5.3 pt		No PHI, 24 hr reentry, 5 uses max
Champ DP Dry Prill	5.3 lb		
Champion WP, Champ WG	8 lb		
Bravo Weather Stik, Chloronil 720, Chlorothalonil SC, Equus 720 SST	4-6.5 pt	fruit rot (start 10–20% bloom)	50 day PHI, maximum 3 uses per season. Do NOT add spreader-sticker or Dipel
Echo 720	4-7 pt		
Echo 90DF	3.25-5.75 lb		
Bravo Ultrex, Equus DF	3.8-6.0 lb		
Chlorothalonil 720	4-6.67 pt		
Equus 500 ZN	5.75-9.25 pt		
Ferbam Granuflo	6 lb		Maximum 5 uses per season, 50 day PHI, 24 hr reentry.
Abound	6.2-15.4 oz		Should not use more than 2 times per season. Is very phytotoxic to McIntosh apples.
Indar 75 WSP	4 oz		Should not use more than 2 times per season. 30 day PHI.
Indar 2F	6-12 oz		
Top Cop with Sulfur	2 qt	fruit rot (starting mid-bloom)	Max. 3 uses per season, no PHI
Dithane M-45 or DF Rainshield	3-6 lb		30 day PHI, 24 hr reentry, spray adjuvants may be added
Penncozeb 75DF or 80WP			
Manzate Pro-Stick			
Maneb 75 DF, Maneb 80 WP	4.8-6 lb		
Manex, Dithane F-45 Rainshield	2.4-4.8 qt		30 day PHI, 24 hr reentry, spray adjuvants may be added
Manzate Flowable, Penncozeb 4 FL			
ManKocide	10.5 lb		
Cuprofix MZ Disperss	7.5-14 lb		30 day PHI, 24 hr reentry
3 lb copper flowable	10.67 pt	fruit rot (starting late bloom)	Maximum 3 uses per season (except 5 for Champ), no PHI, 24 hr reentry
Champ Formula 2 Flowable	5.33 pt		
Champ DP Dry Prill	5.6 lb		
Kocide DF, Champ WG	8 lb		
Nu-Cop 50DF, Champion WP, Nu-Cop 50 WP	8 lb		
Kocide 2000	6 lb		
Nu-Cop HB	4 lb		
Nu-Cop 3L	5.33-10.67 pt		
Kocide 3000	3.5 lb		
Copper-Count-N	8 qt		
Ferbam Granuflo	9 lb/100 gal	fairy ring	Apply 1 gal/sq ft in June-July, one application, 24 hr reentry.
Sul-Po-Mag or K-Mag 0-0-22	4000 lb/A or 1.5 oz/sq ft		Mid-August through October
Abound	15.4 oz		First app at bud break, followed 2-4 weeks later, if necessary
Indar 75 WSP	4 oz		First app at bud break, followed 2-4 weeks later, if necessary
Indar 2F	12 oz		