

2007

## 2007 Chart Book: Weed Management At-A-Glance

Hilary A. Sandler

*University of Massachusetts Amherst Cranberry Station, hsandler@umass.edu*

Follow this and additional works at: <https://scholarworks.umass.edu/cranchart>



Part of the [Agriculture Commons](#), and the [Plant Sciences Commons](#)

---

Sandler, Hilary A., "2007 Chart Book: Weed Management At-A-Glance" (2007). *Cranberry Chart Book - Management Guide*. 75.  
Retrieved from <https://scholarworks.umass.edu/cranchart/75>

This Public Service and Outreach is brought to you for free and open access by the Cranberry Station Outreach and Public Service Activities at ScholarWorks@UMass Amherst. It has been accepted for inclusion in Cranberry Chart Book - Management Guide by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact [scholarworks@library.umass.edu](mailto:scholarworks@library.umass.edu).

## WEED MANAGEMENT 2007 AT A GLANCE

Prepared by Hilary A. Sandler

University of Massachusetts Cranberry Station  
PO Box 569, East Wareham, MA 02538

### ALWAYS READ THE LABEL and REFER TO 2007 CHART BOOK

| WEEDS CONTROLLED   | TIMING                           | HERBICIDE   |
|--|----------------------------------|---|
|  | <b>FEBRUARY AND MARCH</b>        |   |
| Broadleaf perennials (DO NOT USE ON BOG)   |                                  | Crossbow/ Weedone CB  |
| Green scum (algae)   |                                  | Copper sulfate/copper products  |
|  | <b>MARCH TO MID-APRIL</b>        |   |
| Preemergence herbicides should be applied prior to vines breaking dormancy. Timing may vary depending on weather conditions.   |                                  |   |
| Aster, blue joint, bracken fern, corn grass, cottongrass, crabgrass, cutgrass, dulichium ferns (bracken and royal), fireweed, haircap moss, loosestrife, mannagrass, marsh St. John's wort, mare's tail, mud rush, narrow-leaved goldenrod, needlegrass, nutgrass, pitchfork, plantain, ragweed, rattlesnakegrass, royal fern, rushes, smartweed, sorrel, summergrass, velvetgrass, wild strawberry, woolgrass, warty panicgrass |                                  | Casoron   |
| Wild bean (if active, spot-treat with Stinger – see below for probable timing)   |                                  | Casoron, then Devrinol  |
| Clover   |                                  | Stinger   |
| Dodder   |                                  | Casoron (< 50 lb/A)   |
| Pitchforks, ragweed, summergrass   |                                  | Princep or Caliber  |
| Sphagnum moss  |                                  | Iron sulfate  |
| Barnyardgrass, broadleaf panicgrass, broomsedge, Canada rush, corn grass, cutgrass, dulichium, needlegrass, nut sedge, smokegrass, spike rush, summergrass, switchgrass, woolgrass   |                                  | Evital  |
| Dewberries (brambles)  |                                  | Late water or fall flood  |
| Barnyardgrass, corngrass, cutgrass, nutgrass, povertygrass, soft rush, summergrass, warty panicgrass   |                                  | Devrinol  |
| Bog renovation - all weeds   |                                  | Vapam or Basamid  |
|  | <b>JUNE THROUGH AUGUST</b>       |   |
| Cinnamon fern, feather fern, sensitive fern  |                                  | Iron sulfate and salt   |
| Asters, cinquefoil, feather fern, marsh St. John's wort, sensitive fern  |                                  | Iron sulfate  |
| Actively growing, true grasses (annual and perennial) on producing bogs  |                                  | Poast, Select, or Select Max  |
| Ditch weeds (sprays)   |                                  | Rodeo + nonionic surfactant; Roundup (Suppl. label needed w/ Roundup Ultra) |
| Water weeds (but not in ditches)   |                                  | Diquat  |
| Wild bean  |                                  | Stinger or salt solution  |
| Grasses on non-producing bogs<br>Poast and Select may be used on producing bogs  |                                  | Fusilade, Poast, Select, or Select Max + surfactant                         |
| Tall weeds on bogs   |                                  | Roundup, Weedar 64  |
|  | <b>IN THE FALL AFTER HARVEST</b> |   |
| Aster, blue joint, cottongrass, cutgrass, fresh meadowgrass, loosestrife, marsh St. John's wort, mud rush, narrow-leaved goldenrod, needlegrass, nutgrass, ragweed, sphagnum moss, summergrass, woolgrass  |                                  | Casoron<br>Stinger vs. composite weeds                                      |
| Barnyardgrass, Canada rush, corngrass, dulichium, needlegrass, nutgrass, summergrass, switchgrass  | Evital                           |   |
| Barnyardgrass, corn grass, cutgrass, nutgrass, povertygrass, spike rush  |                                  | Devrinol  |
| Bog renovation - all weeds   |                                  | Vapam or Basamid  |
| Pitchforks, ragweed, summergrass   |                                  | Princep or Caliber  |
| Spot-treatment with spray applications<br>(if using RoundUp Ultra, need supplemental labels)   |                                  | RoundUp WeatherMAX  |