

3-2014

2014 Chart Book: Index

Carolyn J. DeMoranville

University of Massachusetts Amherst Cranberry Station, carolynd@umass.edu

Follow this and additional works at: <https://scholarworks.umass.edu/cranchart>



Part of the [Agriculture Commons](#), and the [Plant Sciences Commons](#)

DeMoranville, Carolyn J., "2014 Chart Book: Index" (2014). *Cranberry Chart Book - Management Guide*. 180.
Retrieved from <https://scholarworks.umass.edu/cranchart/180>

This Public Service and Outreach is brought to you for free and open access by the Cranberry Station Outreach and Public Service Activities at ScholarWorks@UMass Amherst. It has been accepted for inclusion in Cranberry Chart Book - Management Guide by an authorized administrator of ScholarWorks@UMass Amherst. For more information, please contact scholarworks@library.umass.edu.

70 INDEX

2

2,4-D..... 27, 41, 46

A

Abound iii, 4, 7, 8

acetic acid.....32

Actara iv, 11, 15, 20, 21

action threshold..... 9, 11, 12, 15

adjuvants..... 5, 34

Admire..... iv, 18, 19, 21

algae..... 43, 44, 62

algaecide43

Alias 18, 19

Aliette2, 8

Altacor 10, 13, 14, 16

ammonium53

annual grasses..... 33, 46

Annual plants23

antitranspirants..... 64

aquatic weeds 43, 45

Assail 14, 15, 16

asters..... 24, 28, 38

Avaunt iv, 11-13, 15, 21

Azadirachtin 22

B

B.t 10, 12, 15, 22

barley straw.....43

Basamid.....46

bees 11, 21, 63

Belay..... 15, 18-20

biennial plants..... 23

biopesticide 32

black vine weevil.....18

blackberry.....30

black-headed fireworm 8-10, 13, 14, 22, 25

bladderwort..... 45, 46

Blazon Blue37

blossomworm 9, 11, 21, 22

brambles.....26, 61

brown spanworm 9, 12

burning27, 46

C

calcium-boron.....54

Callisto..... iii, 25-30, 33, 37, 39, 44

carbohydrate loss65

Casoron 18, 25, 28-32, 34, 35, 48, 63

cattails.....45

chemigation..... 2, 10, 20, 22, 46

chlorothalonil 1, 4, 68

chokeberry..... 31

cinquefoil 28, 42

clippers..... 41

clipping 26, 30

clover 33, 38

Confirm 10, 11

conservation seed mixes..... 44

copper5, 8, 44, 62

copper sulfate 43, 44

cranberry flea beetle..... 20

cranberry fruitworm 9, 10, 16, 17, 21, 22, 63

cranberry girdler9, 10, 19, 22

cranberry root grub 18

cranberry weevil9, 15, 22

crop oil 37, 39

crop oil concentrates 34

crop water stress index..... 58

Crossbow 46

Citrine-Plus..... 43, 44

cutworms9, 11, 15, 63

D

Delegate iv, 10-17, 20, 21

Devrinol..... 23, 29, 31, 36, 37

dewberry..... 26, 27, 30, 40, 42, 46, 63

dewpoint..... 6

dichlobenil..... 34, 36-38

dike stabilization 44

Diquat 45, 46

ditch stabilization 44

ditch weeds..... 43

dodder..... 24, 25, 28, 35, 37, 42, 63

drainage..... 2, 31, 32, 36, 48, 49

duckweed..... 43, 45

E

egg monitoring 17

elodea 46

emersed weeds 43

Entrust 10, 22

evaporative demand..... 58

Evital29, 31, 36

F

fairy ring 7

fall floods 26

false armyworm..... 9, 11, 21, 22, 63

false blossom 8

fanwort 45

Ferbam..... 4, 7

ferns..... 32

<i>fertilizer</i>	
<i>applying</i>	54
<i>calculating rates</i>	52
<i>effects of weather</i>	56
<i>fall, use of</i>	56
<i>fish</i>	53, 54
<i>late water</i>	57, 62
<i>minor elements</i>	54
<i>organic</i>	53
<i>pest, cultural practices</i>	57
<i>phosphorus reduction</i>	47, 51
<i>soil and tissue</i>	48
<i>soil samples</i>	49
<i>timing</i>	55
<i>tissue samples</i>	49
<i>yellow vine</i>	48
<i>fireweed</i>	32
<i>fireworms</i>	9
<i>fish fertilizer</i>	53
<i>fish toxicity</i>	vii
<i>flame cultivation</i>	26, 30, 33, 42, 43, 63
<i>flea beetle</i>	9, 18, 19, 20
<i>floating weeds</i>	45
<i>floods</i>	
<i>black vine weevil</i>	18
<i>dodder</i>	25
<i>fall</i>	18, 19, 26, 61, 63
<i>fireworm</i>	8, 13, 14
<i>flash</i>	57
<i>girdler</i>	19
<i>grubs</i>	18
<i>harvest</i>	6, 47
<i>insects</i>	21
<i>southern red mite</i>	20
<i>spring</i>	25
<i>summer</i>	18, 26, 46, 57
<i>trash</i>	6, 19, 25
<i>winter</i>	6, 13, 18, 22, 29, 61, 64
<i>fluazifop</i>	46
<i>frost protection</i>	22, 62, 65
<i>frost, effect on herbicide movement</i>	34
<i>fruit rot</i>	1, 3, 4, 6, 8, 48, 62, 68
<i>fruitworm egg monitoring</i>	17
<i>fumigants</i>	46
<i>Fusilade</i>	46
G	
<i>girdler</i>	10, 19, 21, 22
<i>glyphosate</i>	26, 27, 29-31, 33, 40, 41, 46, 63
<i>goldenrod</i>	24, 29, 38
<i>grass carp</i>	45
<i>grass seed</i>	44
<i>grasses</i>	31, 33, 36, 37, 39
<i>green manure</i>	33
<i>green spanworm</i>	9, 12, 21
<i>greenbrier</i>	26, 27
<i>greenleaf</i>	26, 27
<i>greenleaf sawbrier</i>	27
<i>groundwater protection list</i>	66-68
<i>growth regulator</i>	10
<i>grubs</i>	18
<i>gypsy moth</i>	9, 15, 21, 22
H	
<i>handheld torches</i>	42
<i>handler restrictions</i>	16, 25, 37
<i>hardhack</i>	31
<i>harvest floods</i>	
<i>P reduction</i>	47
<i>herbicide movement after rain or frost</i>	34
<i>herbicides</i>	34
<i>Hoplia equina</i>	18
<i>humped green fruitworm</i>	11
<i>hydrilla</i>	45
I	
<i>Imidan</i>	12, 16
<i>Indar</i>	4, 7, 8
<i>insecticidal soap</i>	22
<i>Intrepid</i>	9-17, 21
<i>invasive species</i>	30, 33
<i>iron sulfate</i>	32, 35
<i>irrigation</i> ...	4, 6, 35, 36, 38, 39, 43, 44, 48, 58-60, 62, 64
J	
<i>japanese knotweed</i>	33
<i>joe-pye weed</i>	31
K	
<i>keeping quality forecast</i>	3, 4
<i>knife-raking</i>	26
L	
<i>late water</i>	21, 35
<i>algae</i>	44
<i>bees</i>	63
<i>cranberry fruitworm</i>	63
<i>crop reduction</i>	61
<i>fertilizer</i>	57
<i>fertilizer</i>	62
<i>fruit rot</i>	6, 8
<i>herbicides</i>	63
<i>insects</i>	9, 11, 15, 16, 22
<i>mites</i>	20
<i>out-of-bloom</i>	17

72 INDEX

- pesticide reduction61
sanding8
scouting practice.....17
southern red mite20, 63
weeds.....46, 63
leaf drop65
leafminer21
leatherleaf30
loosestrife 14, 24, 28, 37
lush vines
 fruit rot6
M
MA Fish and Wildlife.....45
mancozeb5, 8
maneb5
meadowsweet31
Mexican bamboo.....33
minor element54
minor weeds33
mites.....20, 63
moisture sensors.....58
mosses32
N
napropamide36
narrow-leaved goldenrod29, 38
Nautique43, 44
Neem22
nematodes..... 18, 19, 22
neonicotinoids10
new plantings 30, 33, 36, 64
Nexter iv, 20, 21
nitrogen33, 44, 47-49, 51-53, 55, 56
nutrient deficiencies54
O
Oberon.....20
OMRI22
organic..... 8, 10, 22, 42, 49, 53-55, 57, 58
organic insect management.....22
oriental beetle18
out-of-bloom16, 17
oxygen deficiency64
P
perennial grasses.....31
perennial plants.....23
pesticide storage69
pheromone traps 9, 13, 14, 18, 19
phosphorus (P).....47
phosphorus reduction.....47, 51
phragmites30
physiological drought 64
phytophthora root rot..... 2
pinweed 30
pitchfork..... 32, 38
plant growth regulators..... 25
Poast27, 30, 38, 39
Poison Control phone numbervii
poison ivy 27, 40
potassium 42, 48, 49, 51, 53
preemergence herbicides..... 34
private applicator certificationvii
protective lotions 27
pruning 6, 26
public waters 44
Pyganic 12, 22
Q
Quinclorac..... 37
QuinStar 25, 28
R
ragweed 32, 38
rainfastii
raking..... 25
red maple..... 30
reducing inputs 9
Reglone 46
resistance management iii, 4, 8, 27, 37
resistant varieties 6
restricted use vii, 11
Reward..... 45
Ridomil..... iii, 2
Rodeo..... 41, 45
root grub..... 18
Roundup..... 26, 27, 29, 30, 40, 41, 69
Roundup Ultra 41
rushes..... 30, 42
S
salt32, 35, 42
sanding 8, 19, 21, 22, 50, 57, 58, 61, 65
sanitation..... 24
sawbrier..... 26, 63
scald..... 6
scarab grubs 18
scouting9, 17, 21, 24, 63, 68
scouting practice..... 17
scum..... 43, 61
sedges 29
seed mix 44
Select 39
sheep laurel 29
silverleaf 26

<i>slow release fertilizer</i>	53	<i>Vapor Gard</i>	64
<i>soil samples</i>	49	<i>vetch</i>	33
<i>soil standards</i>	50	<i>vinegar</i>	42
<i>southern red mite</i>	20, 61, 63	<i>virginicus</i>	27
<i>spanworm</i>	9, 12, 15		
<i>spanworms</i>	11, 12, 15, 63	W	
<i>Sparganothis fruitworm</i>	9, 10, 14, 63	<i>water lettuce</i>	43
<i>spinosyn-based products</i>	10	<i>water level floats</i>	58, 59
<i>Spray Tracer</i>	37	<i>water lilies</i>	45
<i>spring floods</i>	25	<i>water quality</i>	56
<i>Stinger</i>	28, 29, 31, 33, 38	<i>water-holding times</i>	ii, 1
<i>strawberry root weevil</i>	18	<i>watermilfoil</i>	45
<i>striped colaspis</i>	19	<i>weed life cycles</i>	23
<i>submersed weeds</i>	43, 45	<i>weed maps</i>	23
<i>sulfate</i>	32	<i>weed priority group</i>	23
<i>sulfur</i>	28, 33, 42, 53, 54	<i>Weedar 64</i>	26, 27, 29, 30, 41
<i>SulPoMag</i>	53, 56	<i>Weedone CB</i>	46
<i>summer re-flood</i>	18, 26	<i>weeds</i>	
<i>supplemental labels</i>	41	<i>aquatic</i>	43, 45
<i>surfactant</i>	40	<i>ditch</i>	43
<i>sweeping</i>	9, 13	<i>invasive species</i>	30, 33
T		<i>weeds, minor</i>	33
<i>tank mixes</i>	2, 8	<i>weevil</i>	9, 15, 18-20
<i>tensiometer</i>	58, 59	<i>wellhead protection area</i>	66
<i>thermal weeding</i>	25, 26, 30, 42	<i>white grub</i>	9, 18
<i>tipworm</i>	20, 57	<i>white violet</i>	32
<i>tissue samples</i>	49, 50	<i>Widow</i>	18, 19
<i>tissue standards</i>	49	<i>wild bean</i>	28, 38, 42
<i>trash</i>	6, 13, 19, 25, 49, 69	<i>winter flood</i>	64
<i>trash removal</i>	6	<i>winter moth</i>	12
U		<i>winterkill</i>	61, 64, 65
<i>Ultra Flourish</i>	2	<i>wiping tips</i>	40
<i>upright bramble</i>	30		
<i>upright dieback</i>	1, 4, 25, 68	Y	
<i>urea</i>	53	<i>yellow loosestrife</i>	28
V		<i>yellow vine</i>	35, 48
<i>Vapam</i>	46	<i>yellow-headed fireworm</i>	14
		Z	
		<i>Zone II</i>	1, 4, 10-16, 20, 66-68